SWELL SINGLE

DESCRIPTION

Elegant with undulating contours, Swell Single is an LED pendant designed to seamlessly blend the line between indoor and outdoor lighting. Swell single can be suspended individually or as a chandelier grouping to perfectly complement residential, commercial, lounge and hospitality settings alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE E26-3000K PAR LED bulb

PRODUCT CODES

Swell Single Narrow (White/Brass):	SWELNRW WHT/BRA
Swell Single Narrow (Black/Brass):	SWEL NRW BLK/BRA
Swell Single Narrow (Brass/Brass):	SWEL NRW BRA/BRA
Swell Single Medium (White/Brass):	SWELMED WHT/BRA
Swell Single Medium (Black/Brass):	SWEL MED BLK/BRA
Swell Single Medium (Brass/Brass):	SWEL MED BRA/BRA
Swell Single Wide (White/Brass):	SWEL WID WHT/BRA
Swell Single Wide (Black/Brass):	SWEL WID BLK/BRA
Swell Single Wide (Brass/Brass):	SWEL WID BRA/BRA

LIGHT CONTROL

Hard-wired ELV dimmer recommended

FEATURES

Fully dimmable For indoor and outdoor use Damp rated Interchangeable shades Dark Sky compliant Title 20 compliant

SPECIFICATIONS

Voltage: 120V 60Hz Power consumption: 11W Color temperature: 3000K Luminosity: 800 Lumens Luminaire efficacy: 73 Lumens/Watt Color Rendition Index: 90 CRI 50K hour lifespan Cord length: 10' (305cm) 1 year warranty

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

 Swell Single:
 5.25LBS
 15.5" X 16" X 14.5"

 2.4KGS
 39cm X 41cm X 37cm

NOTES


Title 24 compliant model available upon request Custom requests can be considered on volume orders Clear anodized aluminum finish available on special orders


FINISHES




DIMENSIONS

SWELL SINGLE NARROW





SWELL SINGLE MEDIUM



SWELL SINGLE WIDE





Pablo

SWELL STRING 3 MIXED

DESCRIPTION

Elegant and infinitely flexible, Swell String is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell String's three shade design can be mixed and matched to create dynamic groupings. Swell String can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE E26-3000K PAR LED bulb

PRODUCT CODES

Swell String Mixed (White/Brass):	SWELSTR WHT/BRA
Swell String Mixed (Black/Brass):	SWEL STR BLK/BRA
Swell String Mixed (Brass/Brass):	SWEL STR BRA/BRA
Swell 12" Extension Cord (White):	SWELSTRACCEXT12WHT
Swell 12" Extsnsion Cord (Black):	SWELSTRACC EXT 12 BLK
Swell Horizontal Mounting Kit:	SWELHRZMOUNT

LIGHT CONTROL

Hard-wired

ELV dimmer recommended

FEATURES

Fully dimmable For indoor and outdoor use Damp rated Interchangeable shades Interconnectable sockets

SPECIFICATIONS

Voltage: 120V 60Hz Power consumption: 11W Color temperature: 3000K Luminosity: 800 Lumens Luminaire efficacy: 73 Lumens/Watt Color Rendition Index: 90 CRI 50K hour lifespan

(3x) 10' (305cm) vertical mounting kit cable included 30' (915cm) horizontal mounting kit cable sold separately 8' (244cm) power feed cord and canopy included Horizontal mounting kit supports 12 lamps MAX MAX interconnected 14.5W lamps: 34 Title 20 compliant Dark Sky compliant 1 year warranty

CERTIFICATIONS ntertek

PACKAGING WEIGHT AND DIMENSIONS

Swell String 3 Mixed:	12.3LBS	16.5" X 16" X 14.5"
	5.6KGS	42cm X 41cm X 37cm

NOTES

Title 24 compliant model available upon request Custom requests can be considered on volume orders







FINISHES




DIMENSIONS



SWELL STRING 3 MIXED HORIZONTAL





SWELL STRING 3 MIXED VERTICAL

SWELL STRING SINGLE

DESCRIPTION

Elegant and infinitely flexible, Swell String Single is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell String Single allows infinite customization, pick your own collection to create a dramatic and personal grouping to fit any environment. Swell String Single can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike.

FIXTURE TYPE Pendant

LIGHT SOURCE

E26-3000K PAR LED bulb

PRODUCT CODES

Swell String Single Narrow (White/Brass):	SWELSTR SNG NRW WHT/BRA
Swell String Single Narrow (Black/Brass):	SWELSTR SNG NRW BLK/BRA
Swell String Single Narrow (Brass/Brass):	SWELSTR SNG NRW BRA/BRA
Swell String Single Medium (White/Brass):	SWELSTR SNG MED WHT/BRA
Swell String Single Medium (Black/Brass):	SWELSTR SNG MED BLK/BRA
Swell String Single Medium (Brass/Brass):	SWELSTR SNG NRW BRA/BRA
Swell String Single Wide (White/Brass):	SWELSTR SNG WID WHT/BRA
Swell String Single Wide (Black/Brass):	SWELSTR SNG WID BLK/BRA
Swell String Single Wide (Brass/Brass):	SWELSTR SNG NRW BRA/BRA
Swell Power Feed and Canopy (White):	SWELACC KIT WHT
Swell Power Feed and Canopy (Black):	SWELACC KIT BLK
Swell 12" Extension Cord (White):	SWELSTRACC EXT 12 WHT
Swell 12" Extsnsion Cord (Black):	SWELSTRACC EXT 12 BLK
Swell Horizontal Mounting Kit:	SWEL HRZ MOUNT

LIGHT CONTROL

Hard-wired ELV dimmer recommended

FEATURES

Fully dimmable For indoor and outdoor use Damp rated Interchangeable shades Interconnectable sockets

SPECIFICATIONS

Voltage: 120V 60Hz Power consumption: 11W Color temperature: 3000K Luminosity: 800 Lumens Luminaire efficacy: 73 Lumens/Watt Color Rendition Index: 90 CRI 50K hour lifespan (1x) 10' (305cm) vertical mounting kit cable included 30' (915cm) horizontal mounting kit cable sold separately 8' (244cm) power feed cord and canopy sold separately Horizontal mounting kit supports 12 lamps MAX MAX interconnected 14.5W lamps: 34 Title 20 compliant

Dark Sky compliant 1 year warranty

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Swell String Single: 5.25LBS 15.5" X 16" X 14.5" 2.4KGS 39cm X 41cm X 37cm

NOTES

Title 24 compliant model available upon request Custom requests can be considered on volume orders







DIMENSIONS

SWELL STRING SINGLE NARROW SWELL STRING SINGLE MEDIUM SWELL STRING SINGLE WIDE

22"-28" (56-71cm)






POWER FEED CORD







CANOPY





SWELL CHANDELIER

DESCRIPTION

Elegant with undulating contours, Swell Chandelier is an LED chandelier designed to seamlessly blend the line between indoor and outdoor lighting. Swell Chandelier is available in groupings of 3 and 6 lamps, creating a dramatic and personal grouping to fit any environment.

FIXTURE TYPE

Pendant

LIGHT SOURCE E26-3000K PAR LED bulb

PRODUCT CODES

Swell Single Narrow (White/Brass):	SWEL NRW WHT/BRA
Swell Single Narrow (Black/Brass):	SWEL NRW BLK/BRA
Swell Single Narrow (Brass/Brass):	SWEL NRW BRA/BRA
Swell Single Medium (White/Brass):	SWEL MED WHT/BRA
Swell Single Medium (Black/Brass):	SWEL MED BLK/BRA
Swell Single Medium (Brass/Brass):	SWEL MED BRA/BRA
Swell Single Wide (White/Brass):	SWEL WID WHT/BRA
Swell Single Wide (Black/Brass):	SWEL WID BLK/BRA
Swell Single Wide (Brass/Brass):	SWEL WID BRA/BRA
17" Chandelier Canopy:	CHND CAN 17
26" Chandelier Canopy:	CHND CAN 26



Hard-wired ELV dimmer recommended

FEATURES

Fully dimmable For indoor and outdoor use Damp rated Interchangeable shades Dark Sky compliant

SPECIFICATIONS

Voltage: 120V 60Hz Power consumption: 11W per lamp Color temperature: 3000K Luminosity: 800 Lumens per lamp Luminaire efficacy: 73 Lumens/Watt Color Rendition Index: 90 CRI 50K hour lifespan Cord length: 10' (305cm) 1 year warranty

CERTIFICATIONS CE



PACKAGING WEIGHT AND DIMENSIONS

Swell Single:	5.25LBS	15.5" X 16" X 14.5"
	2.4KGS	39cm X 41cm X 37cm
Chandelier canopy 26":	30LBS	32" X 32" X 6"
	13.6KGS	81cm X 81cm X 15cm
Chandelier canopy 17":	15LBS	22" X 22" X 6"
	6.8KGS	56cm X 56cm X 15cm

NOTES


Title 24 compliant model available upon request Custom requests can be considered on volume orders Clear anodized aluminum finish available on special orders



FINISHES



DIMENSIONS




CHANDELIER CANOPY 17"








SWELL CHANDELIER 6



CHANDELIER CANOPY 26"



Pablo